



Clinical Articles and Studies

- Barkhordar, R. A., H. E. Goodis, et al. (1990). "Evaluation of temperature rise on the outer surface of teeth during root canal obturation techniques." *Quintessence Int* 21(7): 585-8.
- Beatty, R. G., P. S. Baker, et al. (1989). "The efficacy of four root canal obturation techniques in preventing apical dye penetration." *J Am Dent Assoc* 119(5): 633-7.
- Becker, S. A. and J. A. von Fraunhofer (1989). "The comparative leakage behaviour of reverse filling materials." *J Endod* 15(6): 246-8.
- Bradshaw, G. B., A. Hall, et al. (1989). "The sealing ability of injection-moulded thermoplasticized gutta-percha." *Int Endod J* 22(1): 17-20.
- Budd, C. S., R. N. Weller, et al. (1991). "A comparison of thermoplasticized injectable gutta-percha obturation techniques." *J Endod* 17(6): 260-4.
- Callis, P. D. and A. J. Paterson (1988). "Microleakage of root fillings: thermoplastic injection compared with lateral condensation." *J Dent* 16(4): 194-7.
- Capurro, M. A., F. Goldberg, et al. (1993). "Evaluation of the dimensional stability of different thermoplasticized gutta-percha fillings using simulated glass root canals." *Endod Dent Traumatol* 9(4): 160-4.
- Czonstkowsky, M., A. Michanowicz, et al. (1985). "Evaluation of an injection of thermoplasticized low-temperature gutta-percha using radioactive isotopes." *J Endod* 11(2): 71-4.
- Dawood, A. J. and T. R. Pitt Ford (1989). "Surgical approach to the obturation of apically flared root canals with thermoplasticized gutta-percha." *Int Endod J* 22(3): 138-41.
- Donley, D. L., R. N. Weller, et al. (1991). "In vitro intracanal temperatures produced by low- and high-temperature thermoplasticized injectable Gutta-percha." *J Endod* 17(7): 307-9.
- ElDeeb, M. E. (1985). "The sealing ability of injection-molded thermoplasticized gutta-percha." *J Endod* 11(2): 84-6.
- Evans, J. T. and J. H. Simon (1986). "Evaluation of the apical seal produced by injected thermoplasticized Gutta-percha in the absence of smear layer and root canal sealer." *J Endod* 12(3): 100-7.
- Gatot, A., M. Peist, et al. (1989). "Endodontic overextension produced by injected thermoplasticized gutta-percha." *J Endod* 15(6): 273-4.
- Glassman, G. and K. Serota (1993). "Technical considerations related to the use of thermoplasticized gutta-percha." *Univ Tor Dent J* 6(2): 6-7.

- Glickman G. Injectable thermoplasticized gutta-percha systems. *Practical Procedures & Aesthetic Dentistry*. 2001; 13: 477-482
- Glickman GN, Gutmann JL. Contemporary perspectives on canal obturation. *Dent Clin North Am*. 1992 Apr;36(2):327-41
- Goldberg, F., M. D. Torres, et al. (1990). "Thermoplasticized gutta-percha in endodontic surgical procedures." *Endod Dent Traumatol* 6(3): 109-13.
- Gutmann, J. L. (1993). "Adaptation of injected thermoplasticized gutta-percha in the absence of the dentinal smear layer." *Int Endod J* 26(2): 87-92.
- Gutmann, J. L., D. C. Creel, et al. (1987). "Evaluation of heat transfer during root canal obturation with thermoplasticized gutta-percha. Part I. In vitro heat levels during extrusion." *J Endod* 13(8): 378-83.
- Gutmann, J. L. and H. Rakusin (1987). "Perspectives on root canal obturation with thermoplasticized injectable gutta-percha." *Int Endod J* 20(6): 261-70.
- Gutmann, J. L., H. Rakusin, et al. (1987). "Evaluation of heat transfer during root canal obturation with thermoplasticized gutta-percha. Part II. In vivo response to heat levels generated." *J Endod* 13(9): 441-8.
- Haddix, J. E., M. Jarrell, et al. (1991). "An in vitro investigation of the apical seal produced by a new thermoplasticized gutta-percha obturation technique." *Quintessence Int* 22(2): 159-63.
- Hata, G., Kawazoe, S., Toda, T., and Weine, F.S. (1995) Sealing ability of thermoplasticized gutta-percha fill techniques as assessed by a new method of determining apical leakage. *J Endod* 21 (4), 167-72.
- Ibarrola, J.L., Russell K., et al. *Braz J Oral Sci*. 1(3) 126-128, 2002
- Kataia, M.A., Seif, R.E., el Sayed, J.M., and Ezzat, K.M. (1995) Dentin wall adaptation of multiphase versus temperature thermoplasticized gutta-percha. A scanning electron microscopic study. *Egypt Dent J* 41 (2), 1129-36.
- Kersten, H. W. (1988). "Evaluation of three thermoplasticized gutta-percha filling techniques using a leakage model in vitro." *Int Endod J* 21(6): 353-60.
- Kratchman, S.I., (2003). "Obturation of the Root Canal System" *Dentistry Today* 22 (6) May 2003
- LaCombe, J. S., A. D. Campbell, et al. (1988). "A comparison of the apical seal produced by two thermoplasticized injectable gutta-percha techniques." *J Endod* 14(9): 445-50.
- Lambrianidis, T., A. Veis, et al. (1990). "Apical placement of needle tip with an injection-thermoplasticized gutta-percha technique for root canal obturation." *Endod Dent Traumatol* 6(2): 56-9.
- Leonardo, M. R., L. S. Utrilla, et al. (1990). "Comparison of subcutaneous connective tissue responses among three different formulations of gutta-percha used in thermatic techniques." *Int Endod J* 23(4): 211-7.
- Maalouf, E.M., Tawil, G.P., and Sader, J.T. (1990) [Clinical evaluation of 160 degrees C thermoplasticized gutta-percha]. *Rev Fr Endod* 9 (4), 43-50.

- MacPherson, M. G., G. R. Hartwell, et al. (1989). "Leakage in vitro with high-temperature thermoplasticized gutta-percha, high copper amalgam, and warm gutta-percha when used as retrofilling materials." *J Endod* 15(5): 212-5.
- Mann, S. R. and G. M. McWalter (1987). "Evaluation of apical seal and placement control in straight and curved canals obturated by laterally condensed and thermoplasticized gutta-percha." *J Endod* 13(1): 10-7.
- Marlin, J. (1986). "Injectable standard gutta-percha as a method of filling the root canal system." *J Endod* 12(8): 354-8.
- Marlin, J., A.A. Krakow, et al. (1981). "Clinical use of injection-molded thermoplasticized gutta-percha for obturation of the root canal system: a preliminary report." *J Endod* 7(6): 277-81.
- McRobert AS, Lumley PJ. (1997). "An in vitro investigation of coronal leakage with three gutta-percha backfilling techniques." *Int Endod J*. Nov;30(6):413-7.
- Molyvdas, I., P. Zervas, et al. (1989). "Periodontal tissue reactions following root canal obturation with an injection-thermoplasticized gutta-percha technique." *Endod Dent Traumatol* 5(1): 32-7.
- Oguntebi, B. R. and C. Shen (1992). "Effect of different sealers on thermoplasticized Gutta-percha root canal obturations." *J Endod* 18(8): 363-6.
- Olson, A. K., G. R. Hartwell, et al. (1989). "Evaluation of the controlled placement of injected thermoplasticized gutta-percha." *J Endod* 15(7): 306-9.
- Olson, A. K., M. G. MacPherson, et al. (1990). "An in vitro evaluation of injectable thermoplasticized gutta-percha, glass ionomer, and amalgam when used as retrofilling materials." *J Endod* 16(8): 361-4.
- Ritchie, G. M., D. M. Anderson, et al. (1988). "Apical extrusion of thermoplasticized Gutta-percha used as a root canal filling." *J Endod* 14(3): 128-32.
- Saunders, E. M. (1990). "In vivo findings associated with heat generation during thermomechanical compaction of gutta-percha. 1. Temperature levels at the external surface of the root." *Int Endod J* 23(5): 263-7.
- Saw, L.H. and Messer, H.H. (1995) Root strains associated with different obturation techniques. *J Endod* 21 (6), 314-20.
- Seef, R.E. (1995) An in-vitro comparative evaluation of temperature rise at the root surface caused by two thermoplasticized gutta percha obturation techniques. *Egypt Dent J* 41 (4), 1397-402.
- Serota, K. (1991). "Endodontic update. A look at the Obtura system." *Ont Dent* 68(6): 34-5.
- Silva-Herzog, D., Jacome Musule, J.L., Martinez, M.L., and Canas, S.E. (1989) [Making a mernetic root seal]. *Pract Odontol* 10 (5), 21-7, 30.
- Skinner, R. L. and V. T. Himel (1987). "The sealing ability of injection-molded thermoplasticized gutta-percha with and without the use of sealers." *J Endod* 13(7): 315-7.
- Sobarzo-Navarro, V. (1991). "Clinical experience in root canal obturation by an injection thermoplasticized gutta-percha technique." *J Endod* 17(8): 389-91.

- Sweatman, T.L., Baumgartner, J.C., and Sakaguchi, R.L. (2001) Radicular temperatures associated with thermoplasticized gutta-percha. *J Endod* 27 (8), 512-5.
- Torabinejad, M., Z. Skobe, et al. (1978). "Scanning electron microscopic study of root canal obturation using thermoplasticized gutta-percha." *J Endod* 4(8): 245-50.
- Uranga A, Blum JY, Esber S, et al. A comparative study of four coronal obturation materials in endodontic treatment. *J Endod*. 1999;25: 178-180.
- Vajrabhaya, L. (1989). "Nonsurgical endodontic treatment of a tooth with double dens in dente." *J Endod* 15(7): 323-5.
- Veis, A., P. Beltes, et al. (1989). "Sealing ability of thermoplasticized gutta-percha in root canal obturation using a sectional vs. a single-phase technique." *Endod Dent Traumatol* 5(2): 87-91.
- Veis, A., T. Lambrianidis, et al. (1992). "Sealing ability of sectional injection thermoplasticized gutta-percha technique with varying distance between needle tip and apical foramen." *Endod Dent Traumatol* 8(2): 63-6.
- Veis, A. A., I. A. Molyvdas, et al. (1994). "In vitro evaluation of apical leakage of root canal fillings after in situ obturation with thermoplasticized and laterally condensed gutta percha." *Int Endod J* 27(4): 213-7.
- Weller, R. N., J. J. Jurcak, et al. (1991). "A new model system for measuring intracanal temperatures." *J Endod* 17(10): 491-4.
- Weller, R. N. and K. A. Koch (1994). "In vitro temperatures produced by a new heated injectable gutta-percha system." *Int Endod J* 27(6): 299-303.
- Weller, R.N. and Koch, K.A. (1995) In vitro radicular temperatures produced by injectable thermoplasticized gutta-percha. *Int Endod J* 28 (2), 86-90.
- Wilson, P. R. and I. E. Barnes (1987). "Treatment of internal root resorption with thermoplasticized gutta-percha. A case report." *Int Endod J* 20(2): 94-7.
- Winford, T. E., J. L. Gutmann, et al. (1987). "Microbiological evaluation of the Unitek Obtura heated gutta-percha delivery system." *J Endod* 13(11): 531-4.
- Yee, F. S., J. Marlin, et al. (1977). "Three-dimensional obturation of the root canal using injection-molded, thermoplasticized dental gutta-percha." *J Endod* 3(5): 168-74.